



# **MY 2023 COLOUR RANGE**

The best electric scooter in the market takes on a fresh new colour look. Vmoto implemented its shade variety following the recent trends to create an incomparable **CPx**.



45<sub>Km/h</sub>

L3e-A1 Max. Speed

L1e-B

4

3.3<sub>kW</sub>

4.8<sub>kW</sub>

+ -

170<sub>Km\*</sub>

137<sub>Km\*</sub>

Tested at an average speed of 45 km/h; rider weight 75 kg; with 2 batteries.







## **CENTRAL CONTROL SYSTEM**

Developed by Super Soco, BMOS V3.3 is in perfect combination with the Super Soco APP, which connects the user with the vehicle and the cloud. Smart and practical.\*

## **BATTERY**


Two swappable Polymer lithium batteries with a warranty of 3 years.  $3.5\,h\,$  fast charging time

\*Optional APP. Request during purchase.









| TECHNICAL INFORMATION |  |                         |  |
|-----------------------|--|-------------------------|--|
| Homologation          | L1e-B, L3e-A1 (comparable to a 50cc, 125cc.) |                         |  |
| Motor                 | SUPER SOCO                                   | Weight                  | 125 kg                                       |
| Rated power           | L1e-B 3000 W   L3e-A1 4000 W                 | L*W*H                   | 2022 mm*757* mm*1450 mm                      |
| Maximum power         | L1e-B 3300 W   L3e-A1 4800 W                 | Wheelbase               | 1366 mm                                      |
| Battery model         | Polymer lithium battery                      | <b>Ground Clearance</b> | 154 mm                                       |
| Battery capacity      | 60 V/45 Ah (Optional with double batteries)  | Seat height (R point)   | 925 mm                                       |
| Charging time         | 3.5 h (single battery)                       | Rims                    | Fr. 2.15-16   Rr. 2.5-14                     |
| Charging power        | 900 W  | Tyres                   | Fr. 100/80-16   Rr. 110/80-14                |
| Autonomy              | L1e-B 170 km*   L3e-A1 137 km*               | Suspension              | Hydraulic damping system                     |
| Max speed             | L1e-B 45 km/h   L3e-A1 90 km/h               | Brakes                  | CBS  |
| Climbing angle        | 14°  | Colors                  | Green, Blue, Red, Black, White, Silver, Grey |

<sup>\*</sup>WMTC Stage 3

Warning: The photos and technical information in this catalogue may refer to prototypes subject to modifications during production and are purely for illustration and reference purposes, and are therefore not binding on Vmoto International. Vmoto cannot be held responsible for any print and/or translation errors. This catalogue is transnational and therefore some products may not be available and/or their features may vary in accordance with local laws. Not all colours and versions are available in each country. Vmoto reserves the right to make changes and improvements to any product without obligation of prior notice or make such changes to products already sold. Further characteristics of the products are contained in the pertinent owner's manuals. The products represented are not definitive versions and are therefore subject to significant changes at Vmoto's discretion without prior notice. The photographs published in this catalogue show only professional riders under controlled street conditions. Do not attempt to imitate value of the product of the

### Vmoto Limited

Level 48, 152-158 St Georges Terrace Perth Western Australia 6000, Australia

#### Vmoto Soco International

15, Zhongxing East Road - Lishui Economic Development Zone Lishui Discrict, Nanjing 21 1200 - Jiangsu Province, China

### Vmoto Europe

Boekweitstraat 95-97, 2153 GK Nieuw Vennep, The Netherlands



Official Electric Scooter Supplier

### Vmoto Soco Italy

Viale Fratelli Casiraghi, 427 20099 S. San Giovanni Milan District, Italy

